

L Number	Hits	Search text	B	Time stamp
1	0	image adj display and photosens\$6 adj circuit and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:11
2	0	image adj display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:11
3	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:31
4	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9	USPAT; EPO; JPO	2004/04/02 11:31
5	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9 and receiv\$9	USPAT; EPO; JPO	2004/04/02 11:44
6	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9 and receiv\$9 and feedback\$9	USPAT; EPO; JPO	2004/04/02 11:44
-	1985	345/87.ccls.	USPAT; EPO; JPO	2003/09/09 07:53
-	282	345/87.ccls. and image adj display	USPAT; EPO; JPO	2003/09/07 15:29
-	3	345/87.ccls. and image adj display and motionless	USPAT; EPO; JPO	2003/09/07 15:31
-	3	345/87.ccls. and image adj display and motionless and light and system	USPAT; EPO; JPO	2003/09/07 15:34
-	3	345/87.ccls. and image adj display and motionless and light and control	USPAT; EPO; JPO	2003/09/07 15:35
-	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	2003/09/08 10:57
-	1506148	light	USPAT; EPO; JPO	2003/09/07 15:56
-	65	light' and auto-adjust\$4	USPAT; EPO; JPO	2003/09/09 07:55
-	60	light and auto-adjust\$4 and system	USPAT; EPO; JPO	2003/09/07 15:56
-	15	light and auto-adjust\$4 and system and image and motion\$4 and display	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4	USPAT; EPO; JPO	2003/09/07 15:59
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value	USPAT; EPO; JPO	2003/09/07 15:59
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5	USPAT; EPO; JPO	2003/09/07 16:00
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4	USPAT; EPO; JPO	2003/09/07 16:00
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background	USPAT; EPO; JPO	2003/09/07 16:00

-		light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4	USPAT; EPO; JPO	2003/09/07 16:01
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4	USPAT; EPO; JPO	2003/09/07 16:01
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1	USPAT; EPO; JPO	2003/09/07 16:01
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback	USPAT; EPO; JPO	2003/09/07 16:02
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order	USPAT; EPO; JPO	2003/09/07 16:02
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast	USPAT; EPO; JPO	2003/09/07 16:04
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast and bright\$4	USPAT; EPO; JPO	2003/09/07 16:04

-		light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast and bright\$4	USPAT; EPO; JPO	2003/09/07 16:04
-	26	light and auto-adjust\$4 and system and image	USPAT; EPO; JPO	2003/09/08 09:38
-	15	light and auto-adjust\$4 and system and image and environment	USPAT; EPO; JPO	2003/09/08 11:12
-	15	light and auto-adjust\$4 and system and image and environment and back and lighting	USPAT; EPO; JPO	2003/09/08 12:37
-	3	345/87.ccls. and image adj display and motionless and back and light and control and system	USPAT; EPO; JPO	2003/09/09 11:17
-	1	345/87.ccls. and image adj display and motionless and back and light and control and system and environment	USPAT; EPO; JPO	2003/09/08 09:41
-	175	image adj display and back adj light\$4 and control and system and environment	USPAT; EPO; JPO	2003/09/08 09:51
-	96	image adj display and back adj light\$4 and control and system and environment and LCD	USPAT; EPO; JPO	2003/09/08 09:52
-	41	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4	USPAT; EPO; JPO	2003/09/08 09:53
-	41	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4	USPAT; EPO; JPO	2003/09/08 09:53
-	20	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4	USPAT; EPO; JPO	2003/09/08 10:17
-	18	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/09 08:55
-	3	electrophoretic and image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/08 10:58
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/08 11:13
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:13
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:15
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:16
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and environment and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17

-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter	USPAT; EPO; JPO	2003/09/08 11:18
-	106963	liquid adj crystal adj display	USPAT; EPO; JPO	2003/09/08 11:18
-	5505	liquid adj crystal adj display and back adj light\$4	USPAT; EPO; JPO	2003/09/08 11:18
-	2663	liquid adj crystal adj display and back adj light\$4 and control	USPAT; EPO; JPO	2003/09/08 11:18
-	140	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5	USPAT; EPO; JPO	2003/09/08 11:19
-	59	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter	USPAT; EPO; JPO	2003/09/08 11:19
-	3	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back	USPAT; EPO; JPO	2003/09/09 07:52
-	2	liquid adj crystal adj display and back adj light\$4 and control and inverter and feed adj back and external and light\$4	USPAT; EPO; JPO	2003/09/08 11:25
-	15	liquid adj crystal adj display and back adj light\$4 and auto-adjust\$4	USPAT; EPO; JPO	2003/09/08 11:28
-	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	2003/09/08 11:31
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer	USPAT; EPO; JPO	2003/09/08 12:17
-	2	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect	USPAT; EPO; JPO	2003/09/08 12:13
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback	USPAT; EPO; JPO	2003/09/08 12:18
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback and inver\$4	USPAT; EPO; JPO	2003/09/08 12:18
-	14	light and auto-adjust\$4 and system and image adj display and environment and back and lighting	USPAT; EPO; JPO	2003/09/08 12:37
-	15	light and auto-adjust\$4 and system and image and motion\$4	USPAT; EPO; JPO	2003/09/08 13:00
-	2	auto\$5 adj adjust\$3 adj light\$3 and system	USPAT; EPO; JPO	2003/09/08 13:50
-	2	auto\$5 adj adjust\$3 adj light\$3 and system	USPAT; EPO; JPO	2003/09/08 13:52
-	109	345/87.ccls. and back adj light\$3	USPAT; EPO; JPO	2003/09/09 07:53
-	386	photo adj album	USPAT; EPO; JPO	2003/09/09 07:53
-	193	photo adj album and display	USPAT; EPO; JPO	2003/09/09 07:54
-	19	photo adj album and display and illuminate\$3	USPAT; EPO; JPO	2003/09/09 07:56
-	12	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5	USPAT; EPO; JPO	2003/09/09 07:58
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and environment	USPAT; EPO; JPO	2003/09/09 07:59

-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$3 and control	USPAT; EPO; JPO	2003/09/09 08:08
-	4	photo adj album adj display	USPAT; EPO; JPO	2003/09/09 08:04
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor	USPAT; EPO; JPO	2003/09/09 09:38
-	3	photo adj album and display and photosensor	USPAT; EPO; JPO	2003/09/09 08:13
-	5126	photosensor and resist\$4	USPAT; EPO; JPO	2003/09/09 08:14
-	1787	photosensor and resist\$4 and display	USPAT; EPO; JPO	2003/09/09 08:15
-	2	photosensor and resist\$4 and display and photo and album	USPAT; EPO; JPO	2003/09/09 08:16
-	4	photosensor adj resist\$4 and display	USPAT; EPO; JPO	2003/09/09 08:16
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor	USPAT; EPO; JPO	2003/09/09 08:45
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor	USPAT; EPO; JPO	2003/09/09 08:56
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor and resist\$5	USPAT; EPO; JPO	2003/09/09 09:06
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor\$1 and resist\$5	USPAT; EPO; JPO	2003/09/09 09:07
-	22	photo adj album and illuminate\$3	USPAT; EPO; JPO	2003/09/09 09:45
-	12	photo adj album and illuminate\$3 and auto\$5 and adjust\$5 and control	USPAT; EPO; JPO	2003/09/09 09:41
-	1	image adj display and motionless and back and light and control and system and inverter	USPAT; EPO; JPO	2004/03/26 15:29
-	1	image adj display and photosens\$6 and sub-circuit	USPAT; EPO; JPO	2004/03/26 15:30
-	1346	image adj display and photosens\$6 and circuit	USPAT; EPO; JPO	2004/03/26 15:30
-	610	image adj display and photosens\$6 and circuit and couple\$6	USPAT; EPO; JPO	2004/03/26 15:31
-	15	image adj display and photosens\$6 and circuit and couple\$6 and input adj circuit	USPAT; EPO; JPO	2004/03/26 15:31
-	5	image adj display and photosens\$6 and circuit and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:10